



检测报告

Test Report

送检企业: 深圳市开元餐饮管理有限公司

样品名称: 土豆排骨套餐

检验类别: 委托检验

厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co. Ltd

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com 网址: <https://www.hongyi-lab.com/>



报告编号: HYI250512AH1056

| | | | |
|---------|--|------|--------------------------------------|
| 样品名称 | : 土豆排骨套餐 | 型号规格 | : / |
| 商标 | : / | 样品数量 | : 3包 |
| 委托单位 | : 深圳市开元餐饮管理有限公司 | | |
| 委托单位地址 | : 深圳市南山区蛇口街道渔一社区后海大道 27 号东南贸大厦 301、401 | | |
| 生产单位 | : / | | |
| 生产单位地址 | : / | | |
| 检验类别 | : 委托检验 | 测试日期 | : 2025 年 04 月 30 日至 2025 年 05 月 12 日 |
| 签发日期 | : 2025 年 05 月 12 日 | | |
| 检验依据 | : SB/T 1037 《速冻调制食品》 | | |
| 检验项目 | : 见后续 | | |
| 样品特征和状态 | : 完好 | | |
| 环境温度 | : 25.6℃ | 环境湿度 | : 51.5% |
| 测试结果 | : 本次委托检验, 所检项目全部符合标准要求 | | |

报告编制: 张华伟

报告审核: 杨泽群



报告签发: 杨泽群

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



| 检测项目 | 单位 | 测试方法 | 标准要求 | 测试结果 | 判定 |
|----------------|------------------|------------------|---------------------------|-----------------------|----|
| 感官要求 | / | / | 具有该产品应有的形态、色泽、气味, 无可见外来杂质 | 符合要求 | 合格 |
| 过氧化值(以脂肪计) | g/100g | GB 5009.227-2016 | ≤ 0.25 | 0.058 | 合格 |
| 铅(以 Pb 计) | mg/kg | GB 5009.12-2017 | ≤ 0.3 | 未检出 (最低限: 0.02) | 合格 |
| 镉(以 Cd 计) | mg/kg | GB 5009.15-2014 | ≤ 0.1 | 未检出 (最低限: 0.001) | 合格 |
| 总汞 (以 Hg 计) | mg/kg | GB 5009.17-2014 | ≤ 0.05 | 未检出 (最低限: 0.001) | 合格 |
| 总砷 (以 As 计) | mg/kg | GB 5009.11-2014 | ≤ 0.5 | 未检出 (最低限: 0.01) | 合格 |
| 胭脂红 | g/kg | GB/T 9695.6-2008 | 不得使用 | 未检出 (最低限: 0.00005) | 合格 |
| 氯霉素 | $\mu\text{g/kg}$ | GB/T 22338-2008 | 不得检出 | 未检出 (最低限: 0.1) | 合格 |

以下空白

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com 网址: <https://www.hongyi-lab.com/>



注意事项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仪对来样负责。

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

Add: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

报告结束

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com 网址: <https://www.hongyi-lab.com/>