



检测报告

Test Report

送检企业: 文登区洁康日用洗化用品厂

样品名称: 洗衣液

检验类别: 委托检验

厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co.Ltd



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com 网址 <http://www.hongyi-lab.com/>



报告编号: HYI250701HA2103

样品名称	: 洗衣液	型号规格	: 500g、1Kg、2KG
商标	: 奂牌	样品数量	: 1PCS
委托单位	: 文登区洁康日用洗化用品厂		
委托单位地址	: 山东省威海市文登经济开发区紫光产业园 13-4 号		
生产单位	: 文登区洁康日用洗化用品厂		
生产单位地址	: 山东省威海市文登经济开发区紫光产业园 13-4 号		
检验类别	: 委托检验	测试日期	: 2025年07月01日至2025年07月07日
签发日期	: 2025年07月07日		
检验依据	: GB/T 1224-2012		
检验项目	: 见后续		
样品特征和状态	: 完好		
环境温度	: 24.9℃	环境湿度	: 54.2%
测试结果	: 本次委托检验, 所检项目全部符合标准要求		
备注	: /		

报告编制:

张华伟

报告审核:

杨泽群

报告签发:

检测专用章



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com 网址: http://www.hongyi-lab.com/



检测项目		标准要求	测试结果	判定
外观		不分层, 无明显悬浮物或沉淀, 无明显机械杂质的均匀产品	符合要求	合格
气味		无异味, 符合规定的香气	符合要求	合格
稳定性	耐高温	(40±2) °C 的保温箱放置 24h, 恢复至室温后与实验前无明显变化	符合要求	合格
	耐低温	(-5±2) °C 下保持 24h 恢复至室温后与实验前无明显变化	符合要求	合格
总活性物/%		≥5	15	合格
pH 值 (25°C, 1%溶液)		≤10.5	7.4	合格
总五氧化二磷 (P ₂ O ₅) 含量/ (%)		≤1.1	未检出	合格

以下空白

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com 网址: http://www.hongyi-lab.com/





报告编号: HYI250701HA2103

注意事项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仪对来样负责。

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

Add: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

报告结束

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司
Xiamen Hongyi Testing Co., Ltd.

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com 网址 <http://www.hongyi-lab.com/>