



# 检测报告

## Test Report

送检企业: 浙江大华技术股份有限公司

样品名称: 云台摄像机

检验类别: 委托检验

厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co. Ltd

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



报告编号: HYI20241215A1750

样品名称	: 云台摄像机	产品型号	: DH-PTZ-4X8BCD/XX-XYZX-XYZX-XXXXXX-XXXXX-XXXXX
商标	: /	样品数量	: 1 台
委托单位	: 浙江大华技术股份有限公司		
委托单位地址	: 杭州市滨江区滨安路 1187 号		
生产单位	: 浙江大华技术股份有限公司		
生产单位地址	: 杭州市滨江区滨安路 1187 号		
检验类别	: 委托检验	测试日期	: 2024 年 12 月 06 日-2024 年 12 月 18 日
签发日期	: 2024 年 12 月 18 日		
检验依据	: GB/T 4208-2017 GB 4943.1-2022《音视频、信息技术和通信技术设备第 1 部分: 安全要求》 GB/T 2423.1-2008《电工电子产品环境试验 第 2 部分: 试验方法 试验 A: 低温》 GB/T 2423.2-2008《电工电子产品环境试验 第 2 部分: 试验方法 试验 B: 高温》 企业技术要求		
检验项目	: 见后续		
样品特征和状态	: 完好		
测试结果	: 本次委托检验, 所检项目全部符合标准要求		

报告编制: 张华伟

报告审核: 杨泽群



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



报告编号: HYI20241215A1750

检测结果:

测试结果总览

序号	检验项目	标准要求	检验结果	判定
A	高温试验	工作: 试验温度: 70°C; 试验时间: 5h; 样品状态: 工作;	高温工作试验中, 样品工作正常, 样品外观无异常, 上电工作正常, 试验合格。	合格
B	低温试验	工作: 1、试验温度: -40°C; 2、试验时间: 5h; 3、样品状态: 工作;	低温工作试验中, 样品工作正常, 样品外观无异常, 上电工作正常, 试验合格。	合格

检验要求及结果\*

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



报告编号: HYI20241215A1750

序号	检验项目	企业技术要求	检验结果	判定
1.	配置	云台摄像机设备内置双镜头, 图像传感器靶面尺寸均为 1/1.8", 设备通道 1 和通道 2 的主码流均支持 3840×2160@25fps;	符合要求	合格
2.		设备的 2 个镜头均支持电动变焦镜头;	符合要求	合格
3.		设备具有 2 路音频输入接口, 1 路音频输出接口, 3 路报警输入接口, 2 路报警输出接口;	符合要求	合格
4.		内置 2 个麦克风、1 个扬声器	符合要求	合格
5.		设备支持 H.264、H.265、MJPEG 设置选项, 可将 H.265、H.264 格式设置为 Baseline/Main/High Profile;	符合要求	合格
6.	功能测试	支持全结构化抓拍;	符合要求	合格
7.		支持人体、非机动车、机动车属性提取;	符合要求	合格
8.		支持一键诊断网络工况、运行故障; 支持一键网络抓拍、一键导出故障信息;	符合要求	合格
9.		补光灯开启后, 无明显波纹状、圆环状、麻点状、条纹状及不规则亮斑;	符合要求	合格
10.		支持对检测区域内不低于 60 个移动目标(机动车、非机动车及行人)进行检测	符合要求	合格
11.		云台旋转角度均支持水平方向 0°~180°, 垂直方向-5°~30°;	符合要求	合格
12.		支持复眼补光, 补光灯开启后, 灯珠光束通过微结构阵列式透镜, 使补光亮度均匀, 无明显波纹状、圆环状、麻点状、条纹状及不规则亮斑	符合要求	合格
13.		声警戒支持 25 条语音报警内容, 支持自定义语音内容导入	符合要求	合格
14.		支持增益控制	符合要求	合格
15.		支持背光补偿	符合要求	合格
16.		支持宽动态	符合要求	合格
17.	支持强光抑制	符合要求	合格	

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



报告编号: HYI20241215A1750

18.		可将视频图像存储至 SD 卡或网络服务器, 支持 SD 卡热插拔, 最大支持 512GBSD 卡	符合要求	合格
19.		支持 DC36V $\pm$ 25%宽电压输入	符合要求	合格
20.	外壳防护等级	IP67 等级	符合要求	合格

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



## 样品照片



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



## 注意事项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仅对来样负责。

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

Add: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

\*\*\*报告结束\*\*\*

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司  
Xiamen Hongyi Testing Co., Ltd.

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com