



# 检测报告

## Test Report

送检企业: 海南琼中程浩贸易有限公司

样品名称: 醇粹雨林生椰拿铁速溶咖啡

检验类别: 委托检验



厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co.Ltd

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



样品名称	: 醇粹雨林生椰拿铁速溶咖啡	型号规格	: /
商标	: /	样品数量	: 500g
委托单位	: 海南琼中程浩贸易有限公司		
委托单位地址	: 海南省琼中黎族苗族自治县海南省琼中县阳江农场雅苑养生城铺面 14 号		
生产单位	: 海南农垦母山咖啡有限公司		
生产单位地址	: 海南省琼中县原国营大丰农场场部		
检验类别	: 委托检验	测试日期	: 2026 年 03 月 23 日-2026 年 03 月 26 日
签发日期	: 2026 年 03 月 26 日		
检验依据	: GB/T 29602-2013《固体饮料》		
检验项目	: 见后续		
样品特征和状态	: 完好		
环境温度	: 24.6℃	环境湿度	: 62%
测试结果	: 本次委托检验, 所检项目不予评价。		

报告编制: 张华伟

报告审核: 杨泽群

报告签发: 杨泽群





报告编号: HYI20260326A174

序号	检验检测项目	单位	技术要求	实测值	检出限	检验检测依据	单项判定
1	*感官	/	冲调或冲泡后具有该产品应有的色泽、香气和滋味, 无异味, 无外来杂质。	符合要求	/	GB/T 29602-2013	符合
2	水分	%	≤7.0	4.15	/	GB 5009.3-2016 第一法	符合
3	胭脂红	g/kg	不得使用	未检出	定量限: 0.0015	GB 5009.35-2023	符合
4	沙门氏菌	/25g	/	未检出	/	GB 4789.4-2024	/
5	赭曲霉毒素 A	μg/kg	/	未检出	定量限: 1.5	GB 5009.96-2016 第三法	/
--	--	--	--	--	--	--	--



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



报告编号: HYI20260326A174

## 注意事项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仪对来样负责。

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

Add: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

\*\*\*报告结束\*\*\*

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com