



检测报告

Test Report

送检企业: 福建芯世界电子科技有限公司

样品名称: 擦手纸

检验类别: 委托检验



厦门泓益检测有限公司

Xiamen Hongyi Testing Technology Co. Ltd

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



报告编号: HYI202603130A229

样品名称	: 擦手纸	样品型号	: 225mm×225mm/张 (2张/抽)200抽
商标	: 漫花	样品类别	: /
委托单位	: 福建芯世界电子科技有限公司		
委托单位地址	: 福建省福州市仓山区盖山镇齐安路 756 号财茂纺织服装城成衣车间 GJ-12#楼 1 层 105-3 单元		
生产单位	: /		
生产单位地址	: /		
样品数量	: 9 包	测试日期	: 2026 年 03 月 06 日-2026 年 03 月 13 日
签发日期	: 2026 年 03 月 13 日		
检验依据	: GB/T 24455-2022 《擦手纸》		
检验项目	: 见后续		
样品特征和状态	: 完好		
环境温度	: 24.6℃	环境湿度	: 62%
测试结果	: 本次委托检验, 所检项目全部符合标准要求		

报告编制: 张华伟

报告审核: 杨泽群



报告签发: 杨泽群

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.



报告编号: HYI202603130A229

检测项目	单位	技术要求	检测结果	判定	检测方法
定量	g/m ²	35.0±3.0	37.3	合格	GB/T 24328.5-2009
D65 亮度	%	≤90.0	84.9	合格	GB/T 7974-2013
吸水时间	S	≤15.0	1.3	合格	GB/T 24455-2022 中附录 A
吸水能力	g/g	≥5.5	11.2	合格	GB/T 24328.6-2020
横向抗张强度(成品层)	N/m	≥200	347	合格	GB/T 24455-2022 中 6.6 条 (试样宽度 15mm)
纵向湿抗张强度(成品层)	N/m	≥90.0	165	合格	GB/T 24455-2022 中 6.7 条 (GB/T 24328.4-2020)
掉粉率	%	≤0.5	0	合格	GB/T 24455-2022 中附录 B
洞眼	总数	≤4	0	合格	GB/T 24455-2022 中 6.9 条
	2 mm~5 mm	≤4	0	合格	
	>5mm, ≤8mm	≤1	0	合格	
	>8mm	不应有	0	合格	
尘埃度	总数	≤50	0	合格	GB/T 24455-2022 中 6.10 条
	0.2 mm ² ~1.0 mm ²	≤50	0	合格	
	>1.0mm ² , ≤2.0 mm ²	≤4	0	合格	
	>2.0 mm ²	不应有	0	合格	
灰分[原生木浆(纤维)]	%	≤1.0	0.48	合格	GB/T 742-2018 灼烧温度: (575±25)°C
交货水分	%	≤10.0	5.9	合格	GB/T462-2023
可迁移性荧光物质	——	无	无	合格	GB/T 24455-2022 中 6.13 条
丙烯酰胺含量	mg/kg	≤0.5	未检出	合格	GB/T 37859-2019 (定量限: 0.1 mg/kg)
细菌菌落总数	CFU/g	≤200	7	合格	GB/T 24455-2022 中附录 E
真菌菌落总数	CFU/g	≤100	11	合格	
大肠菌群	——	不应检出	未检出	合格	
致病性化脓菌	铜绿假单胞菌	——	不应检出	未检出	
	金黄色葡萄球菌	——	不应检出	未检出	合格
	溶血性链球菌	——	不应检出	未检出	合格
偏斜度	mm	不超过 3	1	合格	GB/T 451.1-2002
外观质量		擦手纸起皱后的皱纹应均匀, 纸面应洁净, 不应有明显的死褶、残缺、破损、沙子、硬质块、	符合要求	合格	GB/T24455-2022 中 6.21 条

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.





报告编号: HYI202603130A229

检测项目	单位	技术要求	检测结果	判定	检测方法
		生浆团等纸病。			
纸张层数	层	2 层	2 层	合格	GB/T 24328.2-2020
尺寸	mm	225mm (±5) *225mm (±5)	227mm*220mm	合格	GB/T 24455-2022
净含量(允许短缺量)	抽	200 抽±2 抽	200	合格	GB/T 24455-2022 中 6.22 条



This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址: 福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com



注意事项:

1. 报告无“检验报告章”或检验单位公章无效。
2. 未经本实验室书面同意,不得部分复制本报告。
3. 报告无主检、审核、批准人签字无效。
4. 报告涂改无效。
5. 对检测报告若有异议,应于收到报告之日起十五日内向检测单位提出,逾期不予受理。
6. 委托检测仪对来样负责。

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

Add: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

报告结束

This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample(s) tested. Without written approval of Hongyi Testing, this test report shall not be copied except in full and published as advertisement Hongyi Physical & Chemical Lab.

厦门泓益检测有限公司

Xiamen Hongyi Testing Co., Ltd.

地址:福建省厦门市同安区轻工食品工业区美禾路 99 号

ADDRESS: No. 99 Meihe Road, Light Industry Food Industrial Zone, Tongan District, Xiamen City, Fujian Province,

邮箱: hongyotest@123.com